

# ADNOC VOYAGER PLUS 15W40 CI-4

## SAE 15W-40

### DESCRIPTION

ADNOC Voyager Plus is a series of heavy duty diesel engine oils, developed primarily for high output naturally aspirated or supercharged diesel engines, operating under severe conditions. It is formulated from high quality base oils and chemical additives that provide effective control with respect to piston cleanliness and bore polishing as well as excellent wear control, soot handling and engine oil stability.

### APPLICATIONS

ADNOC Voyager Plus is recommended for use in high- speed, four-stroke diesel engines fitted in automotive, agricultural, mining and construction equipment that meets Euro V and previous emission requirements. It is suitable for engines without particulate filters, most engines fitted with EGR and SCR NOx reduction systems. It can be also used in some types of gasoline engines, making it ideal for mixed fleet operations operating under severe service conditions. It is also suitable for manual transmission application as defined by OEM requirement.

### BENEFITS

- › Very good oxidation stability and soot handling capability that allows long drain intervals
- › Provides effective control with respect to piston cleanliness and bore polishing
- › Very good detergency and dispersancy ability to prevent deposits formation and sludge
- › Optimal viscosity either at high or low oil operation temperatures
- › Mixed fleet engine oil for both heavy/light duty diesel as well as gasoline engines
- › Improved shear stability
- › Low oil consumption
- › Maximizes engine durability
- › Improves engine oil filter performance

### PERFORMANCE

ACEA E7  
API CI-4/CH-4/SL  
CAT ECF-1-a  
Cummins CES 20076/77/78  
Deutz DQC III-18  
JASO DH-1  
Mack EO-N  
MAN M 3275  
Renault RLD-2  
Volvo VDS-3  
SAE 40; 50; 10W-30; 15W-40; 20W-50

## TYPICAL PRODUCT CHARACTERISTICS

Property	Value (SAE 15W-40)
Density @15°C	0.880
Kinematic Viscosity @40°C	99.00
Kinematic Viscosity @100°C	13.75
Viscosity Index	140
CCS Viscosity	6500
- CCS Temperature	-20
Pour Point	-27
Flash Point, COC	230
Base Number	10

Data for reference only. Consult Lubesouq for current OEM specifications.